

---

**From:** Kondreck, Robert  
**Sent:** Thursday, May 30, 2019 8:50 AM  
**To:** Codd, John B LCDR; Mendez, Thomas  
**Cc:** ARL-PF-NPFC Parser  
**Subject:** RE: FPN E18523 - Ozinga Tire Fire - Ceiling Increase

Hi John,  
 I'll see if I can figure out what happened to the billing. We haven't done any work for a while so we should be complete.  
 Thanks,  
 Rob

-----Original Message-----

From: Codd, John B LCDR <John.B.Codd@uscg.mil>  
 Sent: Wednesday, May 29, 2019 7:42 AM  
 To: Mendez, Thomas <mendez.thomas@epa.gov>; Kondreck, Robert <kondreck.robert@epa.gov>  
 Cc: ARL-PF-NPFC Parser <ARL-PF-NPFCParser@uscg.mil>  
 Subject: RE: FPN E18523 - Ozinga Tire Fire - Ceiling Increase

Good morning,

I was going through and updating notes on all my cases and noticed I have not seen any paid EPA oil bills associated with this FPN.

Can I get a status update?

Very Respectfully,

LCDR John Codd  
 - Case Officer, Team IV  
 - Commanding Officer of MILPERS  
 USCG National Pollution Funds Center  
 2703 Martin Luther King, Jr. Ave  
 Washington, DC 20593-7605  
 ☎: 202 795 6080  
 John.B.Codd@uscg.mil  
 www.uscg.mil/npfc

“The willingness with which our young people are likely to serve in any war, no matter how justified, shall be directly proportional to how they perceive the Veterans of earlier wars were treated and appreciated by their nation.”

- President George Washington

-----Original Message-----

From: Mendez, Thomas <mendez.thomas@epa.gov>  
Sent: Thursday, September 20, 2018 9:50 AM  
To: Codd, John B LCDR <John.B.Codd@uscg.mil>; Kondreck, Robert <kondreck.robert@epa.gov>  
Cc: ARL-PF-NPFC Parser <ARL-PF-NPFCParser@uscg.mil>  
Subject: [Non-DoD Source] RE: FPN E18523 - Ozinga Tire Fire - Ceiling Increase

Hello,  
Three parties have been identified.

1. Chicago Port Railroad -Owner of Property 2. Ozinga- Operator on site 3. Liberty Tire - Tire scrap owner

Ozinga lead the response efforts for the site.

Thomas Mendez  
Emergency Response Branch  
On Scene Coordinator  
U.S. EPA Region 5  
77 W Jackson Blvd (SE-5J)  
Chicago, Illinois 60604  
312-353-8242

Confidential: This transmission may contain deliberative, attorney-client, attorney work product or otherwise privileged material. Do not release under FOIA without appropriate review. If this message has been received by you in error, you are instructed to delete this message, together with any attachments, from your computer and all storage media, whether electronic or hard copy.

-----Original Message-----

From: Codd, John B LCDR [mailto:John.B.Codd@uscg.mil]  
Sent: Wednesday, September 19, 2018 11:50 AM  
To: Mendez, Thomas <mendez.thomas@epa.gov>; Kondreck, Robert <kondreck.robert@epa.gov>  
Cc: ARL-PF-NPFC Parser <ARL-PF-NPFCParser@uscg.mil>  
Subject: RE: FPN E18523 - Ozinga Tire Fire - Ceiling Increase

Gents,

At your earliest convenience, can you please confirm RPs.

Owner/Operator of the Facility  
Tire owners  
Property Owner

Send contact info on all RPs when you get it.

Very Respectfully,

LCDR John Codd  
- Case Officer, Team IV  
- Commanding Officer of MILPERS

USCG National Pollution Funds Center  
2703 Martin Luther King, Jr. Ave  
Washington, DC 20593-7605  
☎: 202 795 6080  
John.B.Codd@uscg.mil  
www.uscg.mil/npfc

“The willingness with which our young people are likely to serve in any war, no matter how justified, shall be directly proportional to how they perceive the Veterans of earlier wars were treated and appreciated by their nation.”

- President George Washington

-----Original Message-----

From: Ryan, Patrick E CIV

Sent: Monday, September 17, 2018 1:08 PM

To: Mendez.Thomas@epa.gov; Kondreck.Robert@epa.gov

Cc: Codd, John B LCDR <John.B.Codd@uscg.mil>; ARL-PF-NPFC Parser <ARL-PF-NPFCParser@uscg.mil>

Subject: FPN E18523 - Ozinga Tire Fire - Ceiling Increase

Tom/Robert - Saw in the initial POLREP that you were anticipating raising the FPN ceiling from \$25K to \$40K. You can do that in CANAPS w/o asking us - quickly do using the 'Change ceiling' selection. You need to go through us to increase the ceiling for anything above \$50K. Pat